



Item Code	L (mm)	W (mm)	H (mm)
Start Downlight 5in1 50-125	225	225	60
Start Downlight 5in1 65-185	285	285	60
Start Downlight 5in1 65-260	360	360	60

**1**



Model	Height (mm)
01	125mm, 110mm, 95mm, 80mm, 65mm, 50mm
02	185mm, 170mm, 155mm, 140mm, 125mm, 110mm, 95mm, 80mm, 65mm
03	260mm, 245mm, 230mm, 215mm, 200mm, 185mm, 170mm, 155mm, 140mm, 125mm, 110mm, 95mm, 80mm, 65mm















**4**

Cool white 6500K  
Natural white 4000K  
Warm white 3000K



**7a** ⚡ AC 220-240V








**Start Downlight 5in1 PIR**





1	Brightness	2	3	CCT	4	5	LUX	6	7	Delay	8	Light ON/OFF Settings
●	50%(9W)	●	●	3000K	●	●	10lux	●	●	5s	●	ON (No Dimming)
○	100%(18W)	○	●	4000K	○	●	20lux	○	●	30s	○	OFF (Dimming - 1sec ON / 3 sec OFF)
		●	○	6500K	●	○	40lux	●	○	60		
		○	○	-	○	○	24h	○	○	180s		





9W  
18W

1	POWER
●	50% (9W)
○	100% (18W)




3000K  
4000K  
6500K



2	3	CCT
●	●	3000K
○	●	4000K
●	○	6500K
○	○	—




>10 / 20 / 40 lux



<10 / 20 / 40 lux





24 h






24 h

4	5	
●	●	10 lux
○	●	20 lux
●	○	40 lux
○	○	24 h





5 sec  
30 sec  
1 min  
3 min

6	7	
●	●	5 sec
○	●	30 sec
●	○	60 sec
○	○	180 sec




#### 8 Light ON/OFF Settings

●	ON (No Dimming)
○	OFF (Dimming - 1sec ON / 3 sec OFF)



1 sec



3 sec